SAE GEAR WRENCH SETS

34270

34170

20 Pc SAE Gear Wrench Set / Blow Mold Case *(not shown)* — Shelf 1

7	5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4"
3	Socket Adapters 1/4"(for 3/8"), 3/8"(for 1/2"), 1/2"(for 3/4") Dr.
1	Bit Adapter
2	Phillips Bits - #1, #2
2	Robertson® Bits - #2, #3
2	Flat Bits - 1/4", 5/16"
3	Torque Bits - T15, T20, T25

(comes in blow mold case)

34270

20 Pc Metric Gear Wrench Set / Blow Mold Case — Shelf 1

7	8, 10, 12, 13, 14, 15, 18mm
3	Socket Adapters - 1/4"(for 10mm), 3/8"(for 13mm),1/2"(for 18mm) Dr.
1	Bit Adapter
2	Phillips Bits - #1, #2
2	Robertson® Bits - #2, #3
2	Flat Bits - 1/4", 5/16"
3	Torque Bits - T15, T20, T25

(comes in blow mold case)

34156

6Pc SAE Gear Wrench Set — Shelf 1

5/16, 3/8, 7/16, 1/2, 9/16, 5/8"
(comes on rack)

34162

9Pc SAE Gear Wrench Set — Shelf 1

1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
(comes on rack)

34163

11Pc SAE Gear Wrench Set — Shelf 1

5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1/4"
(comes on rack)

TOOL FREE PHONE: 888.744.6380 . TOOL FREE FAX: 877.702.7399

SAE GEAR WRENCH SETS

34164

12Pc SAE Gear Wrench Set — Shelf 1

8	5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
3	Socket Adapters - 1/4"(for 3/8"), 3/8"(for 1/2"), 1/2"(for 3/4") Dr.
1	Bit Adapter

(comes in zipper case)

34159

8Pc SAE Gear Wrench Set — Shelf 1

5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
(comes in pouch)

34165

15Pc SAE Gear Wrench Set — Shelf 1

5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16,
7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"
(comes in pouch)

COMPLETE SET UP TO 1¼"

METRIC GEAR WRENCH SETS

34261

11Pc Metric Gear Wrench Set — Shelf 1

8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22mm
(comes on rack)

34263

12Pc Metric Gear Wrench Set — Shelf 1

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
(comes in pouch)

34266

12Pc Metric Gear Wrench Set — Shelf 1

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
(comes in zipper case)

34268

16 Pc Metric Gear Wrench Set — Shelf 1

12	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
3	Socket Adapters - 1/4" (for 10mm), 3/8" (for 13mm), 1/2" (for 18mm) Dr.
1	Bit Adapter
	(comes in zipper case)

Socket & Bit Adapters

TOOL FREE PHONE: 888.744.6380 . TOOL FREE FAX: 877.702.7399

METRIC GEAR WRENCH SETS

34273

15Pc Metric Gear Wrench Set — Shelf 1

8, 10, 11, 12, 13, 14, 15, 17, 19, 20, 21, 24, 27, 30, 32mm
(comes in pouch)

COMPLETE SET UP TO 32MM

LARGE GEAR WRENCH SETS

34264

SAE LARGE Gear Wrenches — Shelf 1

4 1, 1-1/16, 1-1/8, 1-1/4"

4 LARGE GEAR WRENCHES IN AN OPPORTUNITY BUY

34267

Metric LARGE Gear Wrenches — Shelf 1

5 22, 24, 27, 30, 32mm

5 LARGE GEAR WRENCHES IN AN OPPORTUNITY BUY

GEAR WRENCHES

SAE GEAR WRENCHES

Product #	Description	A	B	L	Shelf
34098	11/32"	16.5	7.5	140.0	10
34101	1/4"	16.5	7.5	140.0	10
34102	5/16"	16.5	7.5	140.0	10
34103	3/8"	18.5	9.0	159.0	10
34104	7/16"	20.0	9.5	165.0	10
34105	1/2"	23.0	11.0	178.0	10
34106	9/16"	24.5	12.0	190.0	10
34107	5/8"	27.5	13.0	208.0	10
34108	11/16"	29.0	14.0	225.0	10
34109	3/4"	31.5	15.0	248.0	10
34110	13/16"	34.0	19.5	291.0	10
34111	7/8"	39.0	19.5	291.0	10
34112	15/16"	45.5	22.5	333.0	5
34113	1"	45.5	22.5	339.0	5
34114	1-1/16"	49.0	24.0	359.0	5
34115	1-1/8"	54.6	26.8	402.0	5
34116	1-1/4"	58.0	28.5	425.0	5







METRIC GEAR WRENCHES

Product #	Description	A	B	L	Shelf
34205	5.5mm	15.9	7.3	125.0	10
34206	6mm	15.9	7.3	125.0	10
34207	7mm	15.9	7.3	139.9	10
34208	8mm	17.0	7.5	149.0	10
34209	9mm	18.0	8.5	149.0	10
34210	10mm	20.0	9.0	159.0	10
34211	11mm	22.0	9.5	165.0	10
34212	12mm	24.0	10.5	171.0	10
34213	13mm	25.0	11.0	178.0	10
34214	14mm	26.0	12.0	190.0	10
34215	15mm	27.0	12.5	199.0	10
34216	16mm	29.0	13.0	208.0	10
34217	17mm	31.0	14.0	225.0	10
34218	18mm	32.0	14.5	236.0	10
34219	19mm	33.0	15.0	248.0	10
34220	20mm	36.0	15.0	291.0	10
34221	21mm	39.0	15.0	291.0	10
34222	22mm	39.0	15.5	291.0	10
34224	24mm	52.0	45.5	333.0	5
34225	25mm	45.5	22.7	333.0	5
34227	27mm	54.5	49.0	359.0	5
34228	30mm	59.0	54.6	402.0	5
34229	32mm	62.5	59.0	425.0	5
34230	34mm	60.0	29.0	460.0	5



EXTRA LONG GEAR WRENCH SETS

38293

13Pc SAE Extra Long Gear Wrench Set — Shelf 1

1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

Example:
3/4" Extra Long Gearwrench® = 306mm
3/4" Regular Gearwrench® = 247mm

24% Longer!

LONG VS REGULAR GEAR WRENCHES

It's Time! For years now GearWrench® products have proven to be quality production tools saving time and effort. One reason is the continued attention to producing a dependable product that continually meets or exceeds regulatory specifications on torque and strength. The Extra Long GearWrench® series is continuing this tradition. Like the traditional GearWrench® styles, the Extra Long GearWrench® offers 5° working area permitting tight access performance, and is built with surface drive technology to eliminate the rounding of fasteners.

NOW SIGNET OFFERS EXTRA LENGTH FOR INCREASED TORQUE! 30% MORE! USE THIS PRODUCT FOR STRENGTH OR REACH, YOU CHOOSE, WE GUARANTEE!

38242

12Pc Metric Extra Long Gear Wrench Set — Shelf 1

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

EXTRA LONG GEAR WRENCHES

SAE EXTRA LONG GEAR WRENCHES

Product #	Description	A	B	L	Shelf
38251	1/4"	47.3	23.7	135.0	10
38252	5/16"	45.3	22.7	150.0	10
38254	3/8"	42.1	21.1	180.0	10
38255	7/16"	40.3	20.2	195.0	10
38256	1/2"	36.4	18.2	220.0	10
38257	9/16"	33.5	16.8	235.0	10
38258	5/8"	32.7	16.4	260.0	10
38259	11/16"	28.2	14.1	275.0	10
38260	3/4"	26.3	13.2	305.0	10
38261	13/16"	22.1	11.1	317.7	10
38262	7/8"	21.3	10.7	330.2	10
38263	15/16"	17.3	8.7	355.6	10
38264	1"	16.5	8.3	368.3	10

METRIC EXTRA LONG GEAR WRENCHES

Product #	Description	A	B	L	Shelf
38208	8mm	16.4	8.2	150.0	10
38209	9mm	18.1	9.1	165.0	10
38210	10mm	21.4	10.7	180.0	10
38211	11mm	23.5	11.8	195.0	10
38212	12mm	24.2	12.1	207.0	10
38213	13mm	26.3	13.2	220.0	10
38214	14mm	28.3	14.2	235.0	10
38215	15mm	29.4	14.7	250.0	10
38216	16mm	32.0	16.0	260.0	10
38217	17mm	32.4	16.2	275.0	10
38218	18mm	34.0	17.0	290.0	10
38219	19mm	36.4	18.2	305.0	10

REVERSIBLE 15° OFFSET GEAR WRENCH SETS

34648

7Pc Metric Reversible Gear Wrench Set — Shelf 1

8, 10, 12, 13, 14, 15, 18mm
(comes in blow mold case)

34649

12Pc Metric Reversible Gear Wrench Set — Shelf 1

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
(comes in pouch)

34688

8Pc SAE Reversible Gear Wrench Set — Shelf 1

5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
(comes in blow mold case)

34655

5Pc Metric Reversible Gear Wrench Set — Shelf 1

10, 12, 14, 16, 18mm
Bonus - Tool Pack Pouch

34685

5Pc SAE Reversible Gear Wrench Set — Shelf 1

5/16, 7/16, 1/2, 9/16, 3/4"
Bonus - Tool Pack Pouch

REVERSIBLE 15° OFFSET GEAR WRENCHES

SAE REVERSIBLE 15° OFFSET GEAR WRENCHES

Product #	Description	A	B	L	Shelf
34660	11/32"	17.5	8.3	149.4	10
34661	5/16"	16.5	7.5	140.0	10
34662	3/8"	18.5	9.0	159.0	10
34663	7/16"	20.0	9.5	165.0	10
34664	1/2"	23.0	11.0	178.0	10
34665	9/16"	24.5	12.0	190.0	10
34666	5/8"	27.5	13.0	208.0	10
34667	11/16"	29.0	14.0	225.0	10
34668	3/4"	31.5	15.0	248.0	10
34669	13/16"	34.0	19.5	291.0	10
34670	7/8"	39.0	19.5	291.0	10

One Touch Directional Switch

REVERSIBLE 15° OFFSET GEAR WRENCHES

This 15° offset ratcheting wrench with a compact head design offers accessibility to tight spaces where obstacles may limit the original GearWrench®. The small lever switches direction without sacrificing the overall compact head design.

METRIC REVERSIBLE 15° OFFSET GEAR WRENCHES

Product #	Description	A	B	L	Shelf
34608	8mm	16.5	7.5	149.0	10
34609	9mm	17.0	8.5	149.0	10
34610	10mm	18.5	9.0	159.0	10
34611	11mm	20.0	9.5	165.0	10
34612	12mm	21.5	10.5	171.0	10
34613	13mm	23.0	11.0	178.0	10
34614	14mm	24.5	12.0	190.0	10
34615	15mm	26.0	12.5	199.0	10
34616	16mm	27.5	13.0	208.0	10
34617	17mm	29.0	14.0	225.0	10
34618	18mm	30.5	14.5	236.0	10
34619	19mm	31.5	15.0	248.0	10
34622	22mm	32.5	45.5	291.0	10
34624	24mm	39.0	19.5	291.0	10

STUBBY GEAR WRENCH SETS

34145

7Pc SAE Stubby Gear Wrench Set — Shelf 1

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
(comes in tray)

34249

10Pc Metric Stubby Gear Wrench Set — Shelf 1

10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
(comes in blow mold case)

STUBBY GEAR WRENCHES

SAE STUBBY GEAR WRENCHES

Product #	Description	A	C	E	T	L	Shelf
34131	3/8"	18.5	5.0	11.0	3.2	94.0	10
34132	7/16"	20.0	5.4	12.1	3.5	102.0	10
34133	1/2"	21.5	5.7	13.2	3.7	108.0	10
34134	9/16"	23.0	6.0	14.3	3.8	115.0	10
34135	5/8"	26.7	7.0	16.0	4.5	123.0	10
34136	11/16"	30.5	7.4	18.7	4.9	126.0	10
34137	3/4"	31.5	8.0	20.0	5.2	139.0	10

METRIC STUBBY GEAR WRENCHES

Product #	Description	A	C	E	T	L	Shelf
34275	5.5mm	18.5	5.0	11.0	3.2	80.0	10
34276	6mm	18.5	5.0	11.0	3.2	80.0	10
34277	7mm	18.5	5.0	11.0	3.2	88.0	10
34241	8mm	18.5	5.0	11.0	3.2	88.0	10
34231	10mm	18.5	5.0	11.0	3.2	94.0	10
34232	11mm	20.0	5.4	12.1	3.5	102.0	10
34233	12mm	21.5	5.7	13.2	3.7	105.0	10
34234	13mm	23.0	6.0	14.3	3.8	107.0	10
34235	14mm	25.3	6.4	15.4	4.2	114.0	10
34236	15mm	26.7	7.0	16.0	4.5	118.0	10
34237	16mm	28.1	7.2	17.2	4.7	121.0	10
34238	17mm	30.5	7.4	18.7	4.9	126.0	10
34239	18mm	31.5	8.0	20.0	5.2	130.0	10
34240	19mm	32.5	8.4	20.9	5.4	138.0	10



STUBBY FLEX HEAD GEAR WRENCH SETS

38191

9Pc SAE Stubby Flex Head Gear **W**rench Set — Shelf 1

5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

STUBBY FLEX HEAD GEAR WRENCHES

Stubby meet flex; Flex meet stubby; No need to wait nine months, the perfect offspring of this season is here now.

Tilts 180° at any interval to reach into tight places.

38142

12Pc Metric Stubby Flex Head Gear **W**rench Set — Shelf 1

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

STUBBY FLEX HEAD GEAR WRENCHES

180° Flex Head allows the precision Gear**W**rench® to reach the tightest places. Continuos tension design control the flex head Surface Drive™

SAE STUBBY FLEX HEAD GEAR WRENCHES

Product #	Description	A	C	E	T	L	Shelf
38152	5/16"	8.5	4.8	8.8	2.7	88.0	10
38153	11/32"	9.2	4.9	9.4	3.3	92.0	10
38154	3/8"	10.0	5.2	10.5	3.3	94.0	10
38155	7/16"	10.8	5.9	11.6	4.8	102.0	10
38156	1/2"	12.3	6.6	13.8	4.8	107.0	10
38157	9/16"	13.6	6.8	15.0	4.9	114.0	10
38158	5/8"	15.2	7.4	17.2	4.9	122.0	10
38159	11/16"	16.1	7.8	18.3	5.0	126.0	10
38160	3/4"	17.1	8.8	20.4	5.0	138.0	10

METRIC STUBBY FLEX HEAD GEAR WRENCHES

Product #	Description	A	C	E	T	L	Shelf
38108	8mm	8.5	4.9	8.3	2.7	88.0	10
38109	9mm	9.3	5.0	9.6	3.3	92.0	10
38110	10mm	10.0	5.4	10.6	3.3	94.0	10
38111	11mm	10.8	5.5	11.8	3.8	102.0	10
38112	12mm	11.4	5.9	13.3	3.8	105.0	10
38113	13mm	12.0	6.4	14.4	3.8	107.0	10
38114	14mm	13.6	6.6	14.9	4.4	114.0	10
38115	15mm	14.2	7.0	15.5	4.4	118.0	10
38116	16mm	15.0	7.2	17.2	4.9	122.0	10
38117	17mm	16.0	8.0	18.3	5.5	126.0	10
38118	18mm	16.7	8.3	20.0	5.5	130.0	10
38119	19mm	17.2	8.8	20.5	5.5	138.0	10

FLEX HEAD GEAR WRENCH SETS

34787

8Pc SAE Flex Head Gear Wrench Set — Shelf 1

5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
(comes in zipper case)

Tilts 180° at any interval to reach into tight places.

34740

12Pc Metric Flex Head Gear Wrench Set — Shelf 1

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
(comes in zipper case)

FLEX HEAD GEAR WRENCHES

SAE FLEX HEAD GEAR WRENCHES

Product #	Description	A	L	Shelf
34760	5/16"	16.5	140.0	10
34762	3/8"	19.0	158.0	10
34763	7/16"	20.5	165.0	10
34764	1/2"	21.7	178.0	10
34765	9/16"	23.6	190.0	10
34766	5/8"	28.4	208.0	5
34767	11/16"	30.5	225.0	5
34768	3/4"	32.5	248.0	5
34769	13/16"	39.0	291.0	10
34770	7/8"	39.0	291.0	10
34771	15/16"	45.5	333.0	10
34772	1"	45.5	333.0	10





FLEX HEAD GEAR WRENCHES

With a 180° tilt, this GearWrench® can reach into the tightest places. The continuous tension design allows control over the position of the flex head and the rigid edge determines the fixed direction quickly and easily.

METRIC FLEX HEAD GEAR WRENCHES

Product #	Description	A	L	Shelf
34708	8mm	16.5	140.0	10
34709	9mm	17.0	149.0	10
34710	10mm	19.0	158.0	10
34711	11mm	20.5	165.0	10
34712	12mm	21.7	171.0	10
34713	13mm	23.6	178.0	10
34714	14mm	25.9	190.0	10
34715	15mm	26.7	199.0	5
34716	16mm	28.4	208.0	5
34717	17mm	30.5	235.0	5
34718	18mm	31.5	236.0	5
34719	19mm	32.5	248.0	5

LOCKING FLEX HEAD GEAR WRENCH SETS

38042

12Pc Metric Locking Flex Gear **W**rench Set *(not shown)* Shelf 1

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

38093

8Pc SAE Locking Flex Gear **W**rench Set Shelf 1

5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

38093

SAE LOCKING FLEX HEAD GEAR WRENCHES

Product #	Description	A	C	E	T	L	Shelf
38052	5/16"	15.9	5.1	9.7	3.5	146.0	10
38054	3/8"	19.1	6.0	10.8	3.5	159.0	10
38055	7/16"	20.6	6.6	11.4	4.0	183.0	10
38056	1/2"	23.6	7.0	12.6	4.5	207.0	10
38057	9/16"	25.9	7.7	13.2	5.0	219.0	10
38058	5/8"	28.7	8.3	14.4	5.5	242.0	10
38059	11/16"	30.5	8.7	14.9	5.5	254.0	10
38060	3/4"	32.5	9.8	16.2	6.0	280.0	10

METRIC LOCKING FLEX HEAD GEAR WRENCHES

Product #	Description	A	C	E	T	L	Shelf
38008	8mm	15.9	5.1	9.7	3.5	146.0	10
38009	9mm	17.5	5.3	9.7	3.5	159.0	10
38010	10mm	19.1	6.0	10.8	4.0	171.0	10
38011	11mm	20.6	6.6	11.4	4.0	183.0	10
38012	12mm	21.7	6.8	12.0	4.5	195.0	10
38013	13mm	23.6	7.0	12.6	4.5	207.0	10
38014	14mm	25.9	7.6	13.2	5.0	219.0	10
38015	15mm	27.2	8.0	13.7	5.0	231.0	10
38016	16mm	28.7	8.3	14.4	5.5	242.0	10
38017	17mm	30.5	8.7	14.9	5.5	254.0	10
38018	18mm	31.5	9.2	15.5	6.0	267.0	10
38019	19mm	32.5	9.8	16.2	6.0	280.0	10



E-TORQUE GEAR WRENCH SET

34374

4 Pc E-Torque Gear **W**rench Set Shelf 1

E6xE8, E10xE12, E14xE18, E20xE24 *(comes in blow mold case)*

E-TORQUE GEAR WRENCHES

E-TORQUE GEAR WRENCHES

Product #	Description	A	B	L	Shelf
34351	E6 x E8	16.5	17.0	130.0	10
34353	E10 x E12	18.5	20.0	150.0	10
34355	E14 x E18	25.3	28.4	190.0	10
34357	E20 x E24	30.5	32.5	230.0	10